

**TERMINAL DISCLAIMER TO OBVIATE A DOUBLE PATENTING  
REJECTION OVER A PRIOR PATENT**

In re Application of: Steven A. Bogen and Herbert H. Loeffler

Application No.: 09/702,298

Filed: October 31, 2000

Confirmation No.: 3668

For: Automated Slide Stainer with Slide Housing (As Amended)

#10  
P

The owner, CytoLogix Corporation of 100 percent interest in the instant application hereby disclaims, except as provided below, the terminal part of the statutory term of any patent granted on the instant application, which would extend beyond the expiration date of the full statutory term defined in 35 U.S.C. 154 to 156 and 173, as presently shortened by any terminal disclaimer, of prior Patent No. 5,645,114. The owner hereby agrees that any patent so granted on the instant application shall be enforceable only for and during such period that it and the prior patent are commonly owned. This agreement runs with any patent granted on the instant application and is binding upon the grantee, its successors or assigns.

In making the above disclaimer, the owner does not disclaim the terminal part of any patent granted on the instant application that would extend to the expiration date of the full statutory term as defined in 35 U.S.C. 154 to 156 and 173 of the prior patent, as presently shortened by any terminal disclaimer in the event that it later: expires for failure to pay a maintenance fee, is held unenforceable, is found invalid by a court of competent jurisdiction, is statutorily disclaimed in whole or terminally disclaimed under 37 CFR 1.321, has all claims cancelled by a reexamination certificate, is reissued, or is in any manner terminated prior to the expiration of its full statutory term as presently shortened by any terminal disclaimer.

The terminal disclaimer fee under 37 CFR 1.20(d) is enclosed.

The undersigned is an attorney of record.

12/27/2  
Date

  
James M. Smith  
Registration No. 28,043  
Telephone: (978) 341-0036  
Facsimile: (978) 341-0136

01/02/2003 YPOLITE1 00000059 09702298

01 FC:1814

110.00 0P